

BRD8 Blocking Peptide
Catalog # PBV10210b**Specification**

BRD8 Blocking Peptide - Product Information

Primary Accession [Q5TLG7](#)
Gene ID **291691**

BRD8 Blocking Peptide - Additional Information

Application & Usage **The peptide is used for blocking the antibody activity of BRD8. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C**

Target/Specificity
BRD8

Formulation
50 µg (0.5 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 0.5% BSA and 0.02% thimerosal.

Reconstitution & Storage
-20 °C

Background Descriptions

Precautions
BRD8 Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

BRD8 Blocking Peptide - Protein Information**BRD8 Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

BRD8 Blocking Peptide - Images