

## Cyr61 Blocking Peptide

Catalog # PBV10291b

# **Specification**

## **Cyr61 Blocking Peptide - Product Information**

Primary Accession
Gene ID
Calculated MW
P18406
16007
41709

## Cyr61 Blocking Peptide - Additional Information

**Gene ID** 16007

Application & Usage The peptide is used for blocking the

antibody activity of active Cyr61. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for

30 minutes at 37°C

### **Other Names**

Protein CYR61, 3CH61, CCN family member 1, Cysteine-rich angiogenic inducer 61, Insulin-like growth factor-binding protein 10, IBP-10, IGF-binding protein 10, IGFBP-10, Cyr61, Ccn1, Igfbp10

# **Target/Specificity**

Cyr61

#### **Formulation**

 $50~\mu g$  (0.2 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 0.1% BSA and 0.02% thimerosal.

# **Reconstitution & Storage**

-20 °C

# **Background Descriptions**

### **Precautions**

Cyr61 Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

### **Cyr61 Blocking Peptide - Protein Information**

Name Ccn1 {ECO:0000312|MGI:MGI:88613}

## **Function**

Promotes cell proliferation, chemotaxis, angiogenesis and cell adhesion. Appears to play a role in wound healing by up- regulating, in skin fibroblasts, the expression of a number of genes involved in angiogenesis, inflammation and matrix remodeling including VEGA-A, VEGA-C, MMP1, MMP3,







TIMP1, uPA, PAI-1 and integrins alpha-3 and alpha-5 (By similarity). CCN1-mediated gene regulation is dependent on heparin-binding (By similarity). Down-regulates the expression of alpha-1 and alpha-2 subunits of collagen type-1 (By similarity). Promotes cell adhesion and adhesive signaling through integrin alpha- 6/beta-1, cell migration through integrin alpha-1/beta-5 and cell proliferation through integrin alpha-v/beta-3 (By similarity).

**Cellular Location** Secreted.

### **Tissue Location**

Low in kidney, adrenal gland, testes, brain, and ovary, moderate in heart, uterus, and skeletal muscle, highest in lung

### **Cyr61 Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

**Cyr61 Blocking Peptide - Images**