

### IL-9, Rat recombinant protein

p40 cytokine, T-cell growth factor p40 Catalog # PBV10738r

## **Specification**

## IL-9, Rat recombinant protein - Product info

Primary Accession <u>D4A8I9</u>

Calculated MW ~14.3 kDa KDa

## IL-9, Rat recombinant protein - Additional Info

Gene ID 116558
Gene Symbol IL9

**Other Names** 

p40 cytokine, T-cell growth factor p40

Gene Source Rat Source E.coli

Assay&Purity SDS-PAGE; ≥98%

Assay2&Purity2 HPLC;
Recombinant Yes

Sequence MQRCSTSWGI QHTSYLIENL KDDPSSKCSC

SANVTSCLCL PIPSDDCTTP CFQEGMSQVT NATQQSKFSP FFFRVKRIVE TLKSNKCQFF SCEKPCNOTT AGNTVSFLKS LLKTFQKTEV

**OVORSRA** 

Target/Specificity

IL-9

## **Application Notes**

Centrifuge the vial prior to opening. Reconstitute in water to a concentration of 0.1-1.0 mg/ml. Do not vortex. For extended storage, it is recommended to further dilute in a buffer containing a carrier protein (example 0.1% BSA) and store in working aliquots at -20°C to -80°C.

#### **Format**

Lyophilized powder

## **Storage**

-20°C; Sterile filtered through a 0.2 micron filter. Lyophilized with no additives.

# IL-9, Rat recombinant protein - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry





• <u>Immunofluorescence</u>

- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## IL-9, Rat recombinant protein - Images

# IL-9, Rat recombinant protein - Background

IL-9 is an immunoregulatory cytokine produced by IL-2 activated Th2 lymphocytes. IL-9 enhances the proliferation of T lymphocytes, mast cells, erythroid precursor cells and megakaryoblastic leukemia cell lines. Overexpression of IL-9 has been implicated in the pathogenesis of anaplastic lymphoma and Hodgkin's disease. Recombinant rat IL-9 is a 14.3 kDa protein of 127 amino acid residues including 10 cysteine residues which are fully conserved between the human and murine proteins.