

Eotaxin-2/CCL24, murine recombinant protein
CCL24
Catalog # PBV10772r**Specification**

Eotaxin-2/CCL24, murine recombinant protein - Product info

Primary Accession [O9JKC0](#)
Calculated MW **10.3 kDa** KDa

Eotaxin-2/CCL24, murine recombinant protein - Additional Info

Gene ID	56221
Gene Symbol	CCL24
Other Names	
CCL24	
Gene Source	Murine
Source	E.coli
Assay&Purity	SDS-PAGE; ≥98%
Assay2&Purity2	HPLC;
Recombinant	Yes
Sequence	VTIPSSCCTS FISKKIPENR VVSYQLANGS ICPKAGVIFI TKKGHKICTD PKLLWVQRHI QKLDAKKNQP SKGAKAVRTK FAVQRRRGNS TEV

Target/Specificity
CCL24

Application Notes

Centrifuge the vial prior to opening. Reconstitute in water to a concentration of 0.1-1.0 mg/ml. Do not vortex. This solution can be stored at 2-8°C for up to 1 week. For extended storage, it is recommended to further dilute in a buffer containing a carrier protein (example 0.1% BSA) and store in working aliquots at -20°C to -80°C.

Format

Lyophilized powder

Storage

-20°C; Sterile filtered through a 0.2 micron filter. Lyophilized with no additives.

Eotaxin-2/CCL24, murine recombinant protein - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Eotaxin-2/CCL24, murine recombinant protein - Images**Eotaxin-2/CCL24, murine recombinant protein - Background**

Eotaxin-2 is a CC chemokine that signals through the CCR3 receptor. It is produced by activated monocytes and T lymphocytes. Eotaxin-2 selectively chemoattracts cells expressing CCR3 including eosinophils, basophils, Th2 T cells, mast cells, and certain subsets of dendritic cells. Additionally, Eotaxin-2 inhibits the proliferation of multipotential hematopoietic progenitor cells. The mature protein, which also includes a C-terminal truncation, contains 78 amino acid residues (92 a.a. residues for the murine homolog, without C-terminal truncation). Recombinant murine Eotaxin-2 is a 10.3 kDa protein containing 93 amino acid residues.