

Thymus Chemokine-1/CXCL7

Catalog # PVGS1468

Specification

Thymus Chemokine-1/CXCL7 - Product Information

Primary Accession Species Rat <u>Q99ME0</u>

Sequence lle46-lle107

Purity > 97% as analyzed by SDS-PAGE
> 97% as analyzed by HPLC

Endotoxin Level < 0.2 EU/ μg of protein by gel clotting method

Biological Activity

The EC₅₀ value of rat Thymus Chemokine-1/CXCL7 on Ca²⁺ mobilization assay in CHO-K1/G α 15/rCXCR2 cells (human G α 15 and rat CXCR2 stably expressed in CHO-K1 cells) is less than 300.0 ng/ml.

Expression System CHO

Formulation

Reconstitution

Lyophilized after extensive dialysis against PBS.

It is recommended that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute the lyophilized powder in ddH_2O or PBS up to 100 µg/ml.

Storage & Stability

Upon receiving, this product remains stable for up to 6 months at lower than -70°C. Upon reconstitution, the product should be stable for up to 1 week at 4°C or up to 3 months at -20°C. For long term storage it is recommended that a carrier protein (example 0.1% BSA) be added. Avoid repeated freeze-thaw cycles.

Thymus Chemokine-1/CXCL7 - Additional Information

Target Background

Thymus Chemokine-1, also called Chemokine (C-X-C motif) ligand 7 (CXCL7), is a member of the CXC chemokines. Similar to other ELR domain containing CXC chemokines such as IL-8 and the GRO proteins, Thymus Chemokine-1 has been shown to bind CXCR-2 and be a chemoattractant forneutrophils and play a role in their activation. Although CTAP-III, β -TG and PBP represent amino-terminal extended variants of Thymus Chemokine-1 and possess the same CXC chemokine domains, these proteins do not exhibit Thymus Chemokine-1 activity. Recently, it has been shown that the additional amino-terminal residues of CTAP-III mask the critical ELR receptor binding domain that is exposed on Thymus Chemokine-1 and may account for lack of Thymus



Chemokine-1 activity. Rat CXCL7 shares 72% amino acid sequence identity with mouse CXCL7.

Thymus Chemokine-1/CXCL7 - Protein Information

Thymus Chemokine-1/CXCL7 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Thymus Chemokine-1/CXCL7 - Images