

ΜΙΡ-1β

Catalog # PVGS1485

Specification

MIP-1β - Product Information

Sequence Ala²⁴-Asn⁹² (Accession #: P13236.1)

Purity > 95% as analyzed by SDS-PAGE and HPLC.

Endotoxin Level < 0.2 EU/ μg, determined by LAL method.

Formulation

Lyophilized after extensive dialysis against PBS.

Reconstitution Reconstituted in ddH₂0 or PBS at 100 µg/ml.

MIP-1β - Additional Information

Target Background

 Accord age inflammatory protein 1 beta (MIP-1 β),</br/>
 /b> also known as Chemokine (C-C motif) ligand 4 (CCL4), is a small cytokine belonging to the CC chemokine family. It is a chemo attractant for natural killer cells, monocytes and a variety of other immune cells. MIP-1 β is a major HIV-suppressive factor produced by CD8+ T cells. Perforin-low memory CD8+ T cells are the most common T-cells that normally synthesize MIP-1-beta in humans. MIP-1 β has been shown to interact with CCL3. It can signal through the CCR5 receptor.
 broduced in <i>CHO</i> is a polypeptide chain containing 69 amino acids. A fully biologically active molecule, rhMIP-1 beta/CCL4 has a molecular mass of 10-19 kDa analyzed by reducing SDS-PAGE and is obtained by chromatographic techniques at .

MIP-1β - Protein Information

MIP-1β - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety



10320 Camino Santa Fe, Suite G San Diego, CA 92121 Tel: 858.875.1900 Fax: 858.875.1999

• <u>Cell Culture</u> MIP-1β - Images