

#### **PDGF-BB**

Catalog # PVGS1685

### **Specification**

#### **PDGF-BB - Product Information**

Primary Accession **Species** Bovine

**B1H0W5** 

Sequence

Ser82-Thr190

**Purity** 

≥ 95% as analyzed by SDS-PAGE

**Endotoxin Level** 

< 0.1 EU/  $\mu g$  of protein by gel clotting method

### **Biological Activity**

ED<sub>50</sub> < 20.00 ng/ml as determined by a dose-response proliferation assay using murine Balb/c 3T3 cells. Based on the ED<sub>50</sub>, the calculated specific activity is approximately >  $0.5 \times 10$ <sup>5</sup> IU/mg. It is recommended to experimentally determine the optimal concentration for each specific application by performing a dose response assay.

# **Expression System**

P. pastoris

**Theoretical Molecular Weight** 

12 kDa

Formulation

Lyophilized from a 0.2  $\mu$ m filtered solution in 20 mM NaAc, pH 5.0.

### Reconstitution

Before opening, centrifuge the vial briefly to bring the contents to the bottom. Reconstitute the lyophilized powder in ddH<sub>2</sub>0 up to 100  $\mu$ g/ml.

### Storage & Stability

Upon receiving, the lyophilized product remains stable for up to 6 months at lower than -70 °C. Upon reconstitution, the product is stable for up to 1 week at 4 °C or up to 3 months at -20 °C. Avoid repeated freeze-thaw cycles by making single-use aliquots before the solution is storage at -20 °C.

## **PDGF-BB - Additional Information**

# **Target Background**

Platelet-derived growth factor (PDGF) presenting in serum but absent from plasma was first discovered in an animal study by Lynch and co-workers in the late 1980s. It is a disulfide-linked dimer consisting of two peptides-chain A and chain B. PDGF has three subforms: PDGF-AA, PDGF-BB, and PDGF-AB. It is involved in many biological processes, including hyperplasia,



abcepta

embryonic neuron development, chemotaxis, and respiratory tubule epithelial cell development. The function of PDGF is mediated by two receptors (PDGFR- $\alpha$  and PDGFR- $\beta$ ).

## **PDGF-BB - Protein Information**

#### **PDGF-BB - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

**PDGF-BB - Images**