

## **H1L Antibody**

Purified Mouse Monoclonal Antibody (Mab)
Catalog # AM1012a

## **Specification**

## **H1L Antibody - Product Information**

Application
Primary Accession
Reactivity
Host
Clonality
Isotype

WB,E P20495 Vaccinia Virus

Mouse Monoclonal IgG2a

## **H1L Antibody - Additional Information**

#### **Other Names**

Dual specificity protein phosphatase H1, 313-, Late protein H1, H1L

## Target/Specificity

Purified recombinant H1L fusion protein was used to produced this monoclonal antibody.

## **Dilution**

WB~~1:500~1000

## **Format**

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.

## Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

H1L Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

# **H1L Antibody - Protein Information**

## Name OPG106

**Function** Serine/tyrosine phosphatase which down-regulates cellular antiviral response by dephosphorylating activated host STAT1 and blocking interferon (IFN)-stimulated innate immune responses. Dephosphorylates the OPG144 protein.

#### **Cellular Location**

Virion {ECO:0000250|UniProtKB:P07239}. Host cytoplasm {ECO:0000250|UniProtKB:P07239}. Note=Approximately 200 molecules of OPG106 are packaged within the virion and are essential for the viability of the virus. {ECO:0000250|UniProtKB:P07239}




# **H1L Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# **H1L Antibody - Images**



"Anti-H1L Antibody at 1:500 dilution + recombinant protein whole cell lysate Secondary Goat Anti-mouse IgG, (H+L),Peroxidase conjugated at 1/10000 dilution. Predicted band size : 19672 Da Blocking/Dilution buffer: 5% NFDM/TBST."




Western blot analysis of anti-H1L Mab (SG071115B) in recombinant pGEX-H1L protein. H1L(arrow) was detected using the purified Mab.

# **H1L Antibody - Background**

This Protein shows activity toward tyrosine-protein phosphate as well as with serine-protein phosphate.

## **H1L Antibody - References**







Goebel S.J., Virology 179:247-266(1990). Goebel S.J., Virology 179:517-563(1990).