

#### **BMP2 Antibody**

Purified Mouse Monoclonal Antibody Catalog # AO2072a

# **Specification**

# **BMP2 Antibody - Product Information**

Application E, WB, FC
Primary Accession P12643
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype IgG1

Calculated MW 44.7kDa KDa

**Description** 

The protein encoded by this gene belongs to the transforming growth factor-beta (TGFB) superfamily. The encoded protein acts as a disulfide-linked homodimer and induces bone and cartilage formation.

#### **Immunogen**

Purified recombinant fragment of human BMP2 (AA: 283-396) expressed in E. Coli.

#### **Formulation**

Purified antibody in PBS with 0.05% sodium azide

# **BMP2 Antibody - Additional Information**

Gene ID 650

#### **Other Names**

Bone morphogenetic protein 2, BMP-2, Bone morphogenetic protein 2A, BMP-2A, BMP2, BMP2A

#### **Dilution**

E~~1/10000 WB~~1/500 - 1/2000 FC~~1/200 - 1/400

### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

BMP2 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

# **BMP2 Antibody - Protein Information**

Name BMP2



#### Synonyms BMP2A

#### **Function**

Growth factor of the TGF-beta superfamily that plays essential roles in many developmental processes, including cardiogenesis, neurogenesis, and osteogenesis (PubMed:<a href="http://www.uniprot.org/citations/18436533" target=" blank">18436533</a>, PubMed:<a href="http://www.uniprot.org/citations/31019025" target="\_blank">31019025</a>, PubMed:<a href="http://www.uniprot.org/citations/24362451" target="\_blank">24362451</a>). Induces cartilage and bone formation (PubMed: <a href="http://www.uniprot.org/citations/3201241" target=" blank">3201241</a>). Initiates the canonical BMP signaling cascade by associating with type I receptor BMPR1A and type II receptor BMPR2 (PubMed: <a href="http://www.uniprot.org/citations/15064755" target=" blank">15064755</a>, PubMed:<a href="http://www.uniprot.org/citations/17295905" target="blank">17295905</a>, PubMed:<a href="http://www.uniprot.org/citations/18436533" target="\_blank">18436533</a>). Once all three components are bound together in a complex at the cell surface, BMPR2 phosphorylates and activates BMPR1A (PubMed:<a href="http://www.uniprot.org/citations/7791754" target=" blank">7791754</a>). In turn, BMPR1A propagates signal by phosphorylating SMAD1/5/8 that travel to the nucleus and act as activators and repressors of transcription of target genes. Also acts to promote expression of HAMP, via the interaction with its receptor BMPR1A/ALK3 (PubMed: <a href="http://www.uniprot.org/citations/31800957" target=" blank">31800957</a>). Can also signal through non-canonical pathways such as ERK/MAP kinase signaling cascade that regulates osteoblast differentiation (PubMed: <a href="http://www.uniprot.org/citations/20851880" target="\_blank">20851880</a>, PubMed:<a href="http://www.uniprot.org/citations/16771708" target="\_blank">16771708</a>). Also stimulates the differentiation of myoblasts into osteoblasts via the EIF2AK3-EIF2A-ATF4 pathway by stimulating EIF2A phosphorylation which leads to increased expression of ATF4 which plays a central role in osteoblast differentiation (PubMed:<a href="http://www.uniprot.org/citations/24362451" target=" blank">24362451</a>). Acts as a positive regulator of odontoblast differentiation during mesenchymal tooth germ formation, expression is repressed during the bell stage by MSX1-mediated inhibition of CTNNB1 signaling (By similarity).

# **Cellular Location**

Secreted.

### **Tissue Location**

Particularly abundant in lung, spleen and colon and in low but significant levels in heart, brain, placenta, liver, skeletal muscle, kidney, pancreas, prostate, ovary and small intestine

### **BMP2 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture