

**Anti-CNTF Picoband Antibody**  
Catalog # ABO11737**Specification**

---

**Anti-CNTF Picoband Antibody - Product Information**

Application	<b>WB, IHC-P</b>
Primary Accession	<a href="#">P26441</a>
Host	<b>Rabbit</b>
Reactivity	<b>Human, Rat</b>
Clonality	<b>Polyclonal</b>
Format	<b>Lyophilized</b>

**Description**

Rabbit IgG polyclonal antibody for Ciliary neurotrophic factor(CNTF) detection. Tested with WB, IHC-P in Human;Rat.

**Reconstitution**

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

**Anti-CNTF Picoband Antibody - Additional Information**

**Gene ID** 1270

**Other Names**

Ciliary neurotrophic factor, CNTF, CNTF

**Calculated MW**

22931 MW KDa

**Application Details**

Immunohistochemistry(Paraffin-embedded Section), 0.5-1 µg/ml, Human, Rat, By Heat<br>Western blot, 0.1-0.5 µg/ml, Human<br>

**Subcellular Localization**

Cytoplasm.

**Tissue Specificity**

Nervous system.

**Protein Name**

Ciliary neurotrophic factor

**Contents**

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na<sub>2</sub>HPO<sub>4</sub>, 0.05mg NaN<sub>3</sub>.

**Immunogen**

E.coli-derived human CNTF recombinant protein (Position: A2-M200). Human CNTF shares 83% and 84% amino acid (aa) sequences identity with mouse and rat CNTF, respectively.

**Purification**

Immunogen affinity purified.

**Cross Reactivity**

No cross reactivity with other proteins

Storage

**At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.**

**Sequence Similarities**

Belongs to the CNTF family.

**Anti-CNTF Picoband Antibody - Protein Information**

**Name** CNTF

**Function**

CNTF is a survival factor for various neuronal cell types. Seems to prevent the degeneration of motor axons after axotomy.

**Cellular Location**

Cytoplasm.


**Tissue Location**


Nervous system.

**Anti-CNTF Picoband Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


**Anti-CNTF Picoband Antibody - Images**



Anti-CNTF Picoband antibody, ABO11737-1.JPGIHC(P): Rat Brain Tissue



Anti-CNTF Picoband antibody, ABO11737-2.JPGIHC(P): Human Intestinal Cancer Tissue



Anti-CNTF Picoband antibody, ABO11737-3.JPGIHC(P): Human Lung Cancer Tissue



Anti-CNTF Picoband antibody, ABO11737-4.jpg All lanes: Anti-CNTF(ABO11737) at 0.5ug/ml WB:  
Recombinant Human CNTF Protein 0.5ng Predicted bind size: 28KD Observed bind size: 28KD

### **Anti-CNTF Picoband Antibody - Background**

Ciliary neurotrophic factor (CNTF) is a potent polypeptide hormone whose actions appear to be restricted to the nervous system where it promotes survival, neurotransmitter synthesis and neurite outgrowth in certain neuronal populations. The CNTF gene is located on chromosome 11, as determined using human-hamster somatic cell hybrids. The CNTF protein is highly conserved in evolution. The amino acid (aa) sequences of rat and rabbit CNTF translated from cDNAs display approx. 85% homology with the deduced aa sequence encoding human CNTF. CNTF induces weight loss and improves glucose tolerance in humans and rodents. CNTF is thought to act centrally by inducing hypothalamic neurogenesis to modulate food intake and peripherally by altering hepatic gene expression, in a manner similar to that of leptin.