

**Anti-Hsp20 Picoband Antibody**  
**Catalog # ABO13060****Specification**

---

**Anti-Hsp20 Picoband Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">O14558</a>
Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Format	Lyophilized

**Description**

Rabbit IgG polyclonal antibody for Heat shock protein beta-6 (HSPB6) detection. Tested with WB in Human;Mouse;Rat.

**Reconstitution**

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

**Anti-Hsp20 Picoband Antibody - Additional Information**

**Gene ID** 126393

**Other Names**

Heat shock protein beta-6, HspB6, Heat shock 20 kDa-like protein p20, HSPB6

**Calculated MW**

17136 MW KDa

**Application Details**

Western blot, 0.1-0.5 µg/ml, Human, Mouse, Rat<br>

**Subcellular Localization**

Cytoplasm . Nucleus . Translocates to nuclear foci during heat shock.

**Contents**

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na<sub>2</sub>HPO<sub>4</sub>, 0.05mg NaN<sub>3</sub>.

**Immunogen**

E. coli-derived human Hsp20 recombinant protein (Position: H73-L123). Human Hsp20 shares 88.2% and 92.2% amino acid (aa) sequence identity with mouse and rat Hsp20, respectively.

**Purification**

Immunogen affinity purified.

**Cross Reactivity**

No cross reactivity with other proteins.

**Storage**

**At -20°C for one year. After r°Constitution,  
at 4°C for one month. It°Can also be**

aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

## Anti-Hsp20 Picoband Antibody - Protein Information

**Name** HSPB6

### Function

Small heat shock protein which functions as a molecular chaperone probably maintaining denatured proteins in a folding- competent state. Seems to have versatile functions in various biological processes. Plays a role in regulating muscle function such as smooth muscle vasorelaxation and cardiac myocyte contractility. May regulate myocardial angiogenesis implicating KDR. Overexpression mediates cardioprotection and angiogenesis after induced damage. Stabilizes monomeric YWHAZ thereby supporting YWHAZ chaperone-like activity.

### Cellular Location

Cytoplasm. Nucleus. Secreted Note=Translocates to nuclear foci during heat shock

## Anti-Hsp20 Picoband Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## Anti-Hsp20 Picoband Antibody - Images



Figure 1. Western blot analysis of Hsp20 using anti-Hsp20 antibody (ABO13060).

**Anti-Hsp20 Picoband Antibody - Background**

Heat shock protein beta-6 is a protein that in humans is encoded by the HSPB6 gene. HSPB6, also known as hsp20, is a 17-kDa member of the small heat shock family of proteins. It is expressed in multiple tissues; however, HSPB6 is most highly and constitutively expressed in different types of muscle including vascular, airway, colonic, bladder, uterine smooth muscle, cardiac muscle and skeletal muscle. HSPB6 has specific functions for vasodilation, platelet function, and insulin resistance and in smooth and cardiac muscle.