

IKBKG / NEMO / IKK Gamma Antibody (aa385-399)
Rabbit Polyclonal Antibody
Catalog # ALS11880**Specification****IKBKG / NEMO / IKK Gamma Antibody (aa385-399) - Product Information**

Application	IHC
Primary Accession	Q9Y6K9
Reactivity	Human, Mouse, Rat, Rabbit, Hamster, Monkey, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	48kDa KDa

IKBKG / NEMO / IKK Gamma Antibody (aa385-399) - Additional Information**Gene ID** 8517**Other Names**

NF-kappa-B essential modulator, NEMO, FIP-3, Ikb kinase-associated protein 1, IKKAP1, Inhibitor of nuclear factor kappa-B kinase subunit gamma, I-kappa-B kinase subunit gamma, IKK-gamma, IKKG, Ikb kinase subunit gamma, NF-kappa-B essential modifier, IKBKG, FIP3, NEMO

Target/Specificity

Residues 385-399 [RRSPPEEPPDFCCPK] of the IKBKG protein. Recognizes both human isoforms.

Reconstitution & Storage

+4°C or -20°C, Avoid repeated freezing and thawing.

Precautions

IKBKG / NEMO / IKK Gamma Antibody (aa385-399) is for research use only and not for use in diagnostic or therapeutic procedures.

IKBKG / NEMO / IKK Gamma Antibody (aa385-399) - Protein Information**Name** IKBKG ([HGNC:5961](#))**Synonyms** FIP3, NEMO**Function**

Regulatory subunit of the IKK core complex which phosphorylates inhibitors of NF-kappa-B thus leading to the dissociation of the inhibitor/NF-kappa-B complex and ultimately the degradation of the inhibitor (PubMed:[14695475](http://www.uniprot.org/citations/14695475), PubMed:[20724660](http://www.uniprot.org/citations/20724660), PubMed:[21518757](http://www.uniprot.org/citations/21518757), PubMed:[9751060](http://www.uniprot.org/citations/9751060)). Its binding to scaffolding polyubiquitin plays a key role in IKK activation by multiple signaling receptor pathways (PubMed:[9751060](#))

href="http://www.uniprot.org/citations/16547522" target="_blank">16547522, PubMed:18287044, PubMed:19033441, PubMed:19185524, PubMed:21606507, PubMed:27777308, PubMed:33567255). Can recognize and bind both 'Lys-63'-linked and linear polyubiquitin upon cell stimulation, with a much higher affinity for linear polyubiquitin (PubMed:16547522, PubMed:18287044, PubMed:19033441, PubMed:19185524, PubMed:21606507, PubMed:27777308). Could be implicated in NF-kappa-B-mediated protection from cytokine toxicity. Essential for viral activation of IRF3 (PubMed:19854139). Involved in TLR3- and IFIH1-mediated antiviral innate response; this function requires 'Lys- 27'-linked polyubiquitination (PubMed:20724660).

Cellular Location

Cytoplasm. Nucleus Note=Sumoylated NEMO accumulates in the nucleus in response to genotoxic stress.

Tissue Location


Heart, brain, placenta, lung, liver, skeletal muscle, kidney and pancreas


IKBKG / NEMO / IKK Gamma Antibody (aa385-399) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

IKBKG / NEMO / IKK Gamma Antibody (aa385-399) - Images





Anti-IKBKG / IKK Gamma antibody IHC of human pancreas.

IKBKG / NEMO / IKK Gamma Antibody (aa385-399) - Background

Regulatory subunit of the IKK core complex which phosphorylates inhibitors of NF-kappa-B thus leading to the dissociation of the inhibitor/NF-kappa-B complex and ultimately the degradation of the inhibitor. Its binding to scaffolding polyubiquitin seems to play a role in IKK activation by multiple signaling receptor pathways. However, the specific type of polyubiquitin recognized upon cell stimulation (either 'Lys-63'- linked or linear polyubiquitin) and its functional importance is reported conflictingly. Also considered to be a mediator for TAX activation of NF-kappa-B. Could be implicated in NF-kappa-B- mediated protection from cytokine toxicity. Essential for viral activation of IRF3. Involved in TLR3- and IFIH1-mediated antiviral innate response; this function requires 'Lys-27'-linked polyubiquitination.

IKBKG / NEMO / IKK Gamma Antibody (aa385-399) - References

- Li Y.,et al.Proc. Natl. Acad. Sci. U.S.A. 96:1042-1047(1999).
- Jin D.-Y.,et al.J. Biomed. Sci. 6:115-120(1999).
- Rothwarf D.M.,et al.Nature 395:297-300(1998).
- Smahi A.,et al.Nature 405:466-472(2000).
- Ye Z.,et al.Biochem. Biophys. Res. Commun. 275:223-227(2000).