

**CD59 Antibody (clone p282(H19))**  
**Mouse Monoclonal Antibody**  
**Catalog # ALS12025****Specification****CD59 Antibody (clone p282(H19)) - Product Information**

Application	IHC-P, FC
Primary Accession	<a href="#">P13987</a>
Reactivity	Human, Monkey, Baboon
Host	Mouse
Clonality	Monoclonal
Calculated MW	14kDa KDa
Dilution	IHC-P~~N/A FC~~1:10~50

**CD59 Antibody (clone p282(H19)) - Additional Information****Gene ID** 966**Other Names**

CD59 glycoprotein, 1F5 antigen, 20 kDa homologous restriction factor, HRF-20, HRF20, MAC-inhibitory protein, MAC-IP, MEM43 antigen, Membrane attack complex inhibition factor, MACIF, Membrane inhibitor of reactive lysis, MIRL, Protectin, CD59, CD59, MIC11, MIN1, MIN2, MIN3, MSK21

**Reconstitution & Storage**

+4°C. Store undiluted.

**Precautions**

CD59 Antibody (clone p282(H19)) is for research use only and not for use in diagnostic or therapeutic procedures.

**CD59 Antibody (clone p282(H19)) - Protein Information****Name** CD59 {ECO:0000303|PubMed:2475570, ECO:0000312|HGNC:HGNC:1689}**Function**

Potent inhibitor of the complement membrane attack complex (MAC) action, which protects human cells from damage during complement activation (PubMed:<a href="http://www.uniprot.org/citations/11882685" target="\_blank">11882685</a>, PubMed:<a href="http://www.uniprot.org/citations/1698710" target="\_blank">1698710</a>, PubMed:<a href="http://www.uniprot.org/citations/2475111" target="\_blank">2475111</a>, PubMed:<a href="http://www.uniprot.org/citations/2475570" target="\_blank">2475570</a>, PubMed:<a href="http://www.uniprot.org/citations/2606909" target="\_blank">2606909</a>, PubMed:<a href="http://www.uniprot.org/citations/9053451" target="\_blank">9053451</a>). Acts by binding to the beta-haipins of C8 (C8A and C8B) components of the assembling MAC, forming an intermolecular beta-sheet that prevents incorporation of the multiple copies of C9 required for complete formation of the osmolytic pore (PubMed:<a

href="http://www.uniprot.org/citations/11882685" target="\_blank">11882685</a>, PubMed:<a href="http://www.uniprot.org/citations/1698710" target="\_blank">1698710</a>, PubMed:<a href="http://www.uniprot.org/citations/36797260" target="\_blank">36797260</a>).

#### Cellular Location


Cell membrane; Lipid-anchor, GPI-anchor. Secreted. Note=Localizes to the cell surface (PubMed:36797260). Soluble form found in a number of tissues (PubMed:8670172).

#### CD59 Antibody (clone p282(H19)) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### CD59 Antibody (clone p282(H19)) - Images



Anti-CD59 antibody IHC of human placenta.

#### CD59 Antibody (clone p282(H19)) - Background

Potent inhibitor of the complement membrane attack complex (MAC) action. Acts by binding to the C8 and/or C9 complements of the assembling MAC, thereby preventing incorporation of the multiple copies of C9 required for complete formation of the osmolytic pore. This inhibitor appears to be species-specific. Involved in signal transduction for T-cell activation complexed to a protein tyrosine kinase.

#### CD59 Antibody (clone p282(H19)) - References

- Davies A., et al. J. Exp. Med. 170:637-654(1989).  
Philbrick W.M., et al. Eur. J. Immunol. 20:87-92(1990).  
Okada H., et al. Biochem. Biophys. Res. Commun. 162:1553-1559(1989).  
Sugita Y., et al. J. Biochem. 106:555-557(1989).  
Sawada R., et al. DNA Cell Biol. 9:213-220(1990).