

STAP2 Antibody (C-Terminus)
Goat Polyclonal Antibody
Catalog # ALS13689**Specification**

STAP2 Antibody (C-Terminus) - Product Information

Application	IHC
Primary Accession	O9UGK3
Reactivity	Human, Monkey
Host	Goat
Clonality	Polyclonal
Calculated MW	45kDa KDa

STAP2 Antibody (C-Terminus) - Additional Information**Gene ID** 55620**Other Names**

Signal-transducing adaptor protein 2, STAP-2, Breast tumor kinase substrate, BRK substrate, STAP2, BKS

Target/Specificity

Human STAP2. This antibody is expected to recognise isoforms 1 (NP_060190.2) and isoform 2 (NP_001013863.1).

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

STAP2 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

STAP2 Antibody (C-Terminus) - Protein Information**Name** STAP2**Synonyms** BKS**Function**

Substrate of protein kinase PTK6. May play a regulatory role in the acute-phase response in systemic inflammation and may modulate STAT3 activity.

Cellular Location

Cytoplasm.

Tissue Location


Widely expressed.

STAP2 Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

STAP2 Antibody (C-Terminus) - Images



Anti-STAP2 antibody IHC of human brain, cortex.

STAP2 Antibody (C-Terminus) - Background

Substrate of protein kinase PTK6. May play a regulatory role in the acute-phase response in systemic inflammation and may modulate STAT3 activity.

STAP2 Antibody (C-Terminus) - References

- Mitchell P.J., et al. *Oncogene* 19:4273-4282(2000).
Ota T., et al. *Nat. Genet.* 36:40-45(2004).
Grimwood J., et al. *Nature* 428:529-535(2004).
Minoguchi M., et al. *J. Biol. Chem.* 278:11182-11189(2003).
Ikeda O., et al. *Biochem. Biophys. Res. Commun.* 384:71-75(2009).