

FLNA / Filamin A Antibody (aa2121-2170) Rabbit Polyclonal Antibody Catalog # ALS15008

Specification

FLNA / Filamin A Antibody (aa2121-2170) - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW Dilution WB, IHC-P, E <u>P21333</u> Human, Mouse, Rat Rabbit Polyclonal 281kDa KDa WB~~1:1000 IHC-P~~N/A E~~N/A

FLNA / Filamin A Antibody (aa2121-2170) - Additional Information

Gene ID 2316

Other Names Filamin-A, FLN-A, Actin-binding protein 280, ABP-280, Alpha-filamin, Endothelial actin-binding protein, Filamin-1, Non-muscle filamin, FLNA, FLN, FLN1

Target/Specificity Filamin A Antibody detects endogenous levels of total Filamin A protein.

Reconstitution & Storage Long term: -20°C; Short term: +4°C; Avoid freeze-thaw cycles.

Precautions FLNA / Filamin A Antibody (aa2121-2170) is for research use only and not for use in diagnostic or therapeutic procedures.

FLNA / Filamin A Antibody (aa2121-2170) - Protein Information

Name FLNA

Synonyms FLN, FLN1

Function

Promotes orthogonal branching of actin filaments and links actin filaments to membrane glycoproteins. Anchors various transmembrane proteins to the actin cytoskeleton and serves as a scaffold for a wide range of cytoplasmic signaling proteins. Interaction with FLNB may allow neuroblast migration from the ventricular zone into the cortical plate. Tethers cell surface-localized furin, modulates its rate of internalization and directs its intracellular trafficking (By similarity). Involved in ciliogenesis. Plays a role in cell-cell contacts and adherens junctions during the development of blood vessels, heart and brain organs. Plays a role in platelets morphology



through interaction with SYK that regulates ITAM- and ITAM-like-containing receptor signaling, resulting in by platelet cytoskeleton organization maintenance (By similarity). During the axon guidance process, required for growth cone collapse induced by SEMA3A-mediated stimulation of neurons (PubMed:>25358863).

Cellular Location Cytoplasm, cell cortex. Cytoplasm, cytoskeleton {ECO:0000250|UniProtKB:Q8BTM8}. Perikaryon {ECO:0000250|UniProtKB:Q8BTM8}. Cell projection, growth cone {ECO:0000250|UniProtKB:Q8BTM8}. Cell projection, podosome {ECO:0000250|UniProtKB:Q8BTM8}. Note=Colocalizes with CPMR1 in the central region of DRG neuron growth cone (By similarity). Following SEMA3A stimulation of DRG neurons, colocalizes with F-actin (By similarity). Localized to the core of myotube podosomes (By similarity). {ECO:0000250|UniProtKB:Q8BTM8}

Tissue Location Ubiquitous.


Volume 50 μl

FLNA / Filamin A Antibody (aa2121-2170) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

FLNA / Filamin A Antibody (aa2121-2170) - Images



Western blot of extracts from 293 cells, treated with EGF 200 ng/ml 5', using Filamin Antibody.





Anti-FLNA / FMD antibody IHC of human uterus.

FLNA / Filamin A Antibody (aa2121-2170) - Background

Promotes orthogonal branching of actin filaments and links actin filaments to membrane glycoproteins. Anchors various transmembrane proteins to the actin cytoskeleton and serves as a scaffold for a wide range of cytoplasmic signaling proteins. Interaction with FLNA may allow neuroblast migration from the ventricular zone into the cortical plate. Tethers cell surface- localized furin, modulates its rate of internalization and directs its intracellular trafficking (By similarity). Involved in ciliogenesis.

FLNA / Filamin A Antibody (aa2121-2170) - References

Gorlin J.B., et al.J. Cell Biol. 111:1089-1105(1990). Patrosso M.C., et al.Genomics 21:71-76(1994). Chen E.Y., et al.Hum. Mol. Genet. 5:659-668(1996). Li J., et al.Mol. Cell. Proteomics 9:2517-2528(2010). Ota T., et al.Nat. Genet. 36:40-45(2004).