

#### **PSA (KLK3) Antibody**

Purified Mouse Monoclonal Antibody Catalog # AO1144a

## **Specification**

### **PSA (KLK3) Antibody - Product Information**

Application WB, IHC, FC, E

Primary Accession
Reactivity
Host
Clonality
Isotype
P07288
Human
Mouse
Mouse
IgG1

**Description** 

Kallikrein-related peptidase 3.Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers. This gene is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. Its protein product is a protease present in seminal plasma. It is thought to function normally in the liquefaction of seminal coagulum, presumably by hydrolysis of the high molecular mass seminal vesicle protein. Serum level of this protein, called PSA in the clinical setting, is useful in the diagnosis and monitoring of prostatic carcinoma. Alternate splicing of this gene generates several transcript variants encoding different isoforms.

## **Immunogen**

#### **Formulation**

Ascitic fluid containing 0.03% sodium azide.

## **PSA (KLK3) Antibody - Additional Information**

#### Gene ID 354

### **Other Names**

Prostate-specific antigen, PSA, 3.4.21.77, Gamma-seminoprotein, Seminin, Kallikrein-3, P-30 antigen, Semenogelase, KLK3, APS

#### **Dilution**

WB~~1/500 - 1/2000 IHC~~1/500 - 1/2000 FC~~1/200 - 1/400 E~~N/A

### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Precautions**

PSA (KLK3) Antibody is for research use only and not for use in diagnostic or therapeutic



procedures.

# **PSA (KLK3) Antibody - Protein Information**

Name KLK3

**Synonyms** APS

#### **Function**

Hydrolyzes semenogelin-1 thus leading to the liquefaction of the seminal coagulum.

## **Cellular Location**

Secreted.

## **PSA (KLK3) Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# **PSA (KLK3) Antibody - Images**




Figure 1: Western blot analysis using KLK3 mouse mAb against truncated KLK3 recombinant protein.






Figure 2: Immunohistochemical analysis of paraffin-embedded human prostate carcinoma tissues, showing cytoplasmic localization using KLK3 mouse mAb with DAB staining.




Figure 3: Immunohistochemical analysis of paraffin-embedded human prostate tissues using KLK3 mouse mAb with DAB staining.




Figure 4: Flow cytometric analysis of PC-3 cells using KLK3 mouse mAb (right) and negative control (left).

# **PSA (KLK3) Antibody - References**

1. Am J Surg Pathol. 2007 Sep;31(9):1351-5. 2. Chem Biol Drug Des. 2007 Sep;70(3):261-7.