

Mouse Monoclonal Antibody to SYN1
Purified Mouse Monoclonal Antibody
Catalog # AO2350a**Specification**

Mouse Monoclonal Antibody to SYN1 - Product Information

Application	WB, IHC, FC, ICC, E
Primary Accession	P17600
Reactivity	Human, Mouse, Rat, Monkey
Host	Mouse
Clonality	Monoclonal
Isotype	Mouse IgG1
Calculated MW	74.1kDa KDa

Description

This gene is a member of the synapsin gene family. Synapsins encode neuronal phosphoproteins which associate with the cytoplasmic surface of synaptic vesicles. Family members are characterized by common protein domains, and they are implicated in synaptogenesis and the modulation of neurotransmitter release, suggesting a potential role in several neuropsychiatric diseases. This member of the synapsin family plays a role in regulation of axonogenesis and synaptogenesis. The protein encoded serves as a substrate for several different protein kinases and phosphorylation may function in the regulation of this protein in the nerve terminal. Mutations in this gene may be associated with X-linked disorders with primary neuronal degeneration such as Rett syndrome. Alternatively spliced transcript variants encoding different isoforms have been identified.;

Immunogen

Purified recombinant fragment of human SYN1 (AA: 362-511) expressed in E. Coli.

Formulation

Purified antibody in PBS with 0.05% sodium azide

Application Note

ELISA: 1/10000; WB: 1/500 - 1/2000; IHC: 1/200 - 1/1000; ICC: 1/200 - 1/1000; FCM: 1/200 - 1/400

Mouse Monoclonal Antibody to SYN1 - Additional Information

Gene ID 6853

Other Names

SYN1; SYN1a; SYN1b

Dilution

WB~~1:1000
IHC~~1:100~500
FC~~1:10~50
ICC~~N/A
E~~N/A

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mouse Monoclonal Antibody to SYN1 is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Monoclonal Antibody to SYN1 - Protein Information

Name SYN1

Function

Neuronal phosphoprotein that coats synaptic vesicles, and binds to the cytoskeleton. Acts as a regulator of synaptic vesicles trafficking, involved in the control of neurotransmitter release at the pre-synaptic terminal (PubMed: [21441247](http://www.uniprot.org/citations/21441247), PubMed: [23406870](http://www.uniprot.org/citations/23406870)). Also involved in the regulation of axon outgrowth and synaptogenesis (By similarity). The complex formed with NOS1 and CAPON proteins is necessary for specific nitric-oxid functions at a presynaptic level (By similarity).

Cellular Location


Synapse {ECO:0000250|UniProtKB:O88935}. Golgi apparatus {ECO:0000250|UniProtKB:O88935}. Presynapse. Cytoplasmic vesicle, secretory vesicle, synaptic vesicle {ECO:0000250|UniProtKB:P09951}. Note=Dissociates from synaptic vesicles and redistributes into the axon during action potential firing, in a step that precedes fusion of vesicles with the plasma membrane. Reclusters to presynapses after the cessation of synaptic activity. {ECO:0000250|UniProtKB:P09951}


Mouse Monoclonal Antibody to SYN1 - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mouse Monoclonal Antibody to SYN1 - Images







Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)




Western blot analysis using SYN1 mAb against human SYN1 (AA: 362-511) recombinant protein. (Expected MW is 41.7 kDa)




Western blot analysis using SYN1 mAb against HEK293 (1) and SYN1 (AA: 362-511)-hIgGFc transfected HEK293 (2) cell lysate.




Western blot analysis using SYN1 mouse mAb against SK-N-SH (1), NIH/3T3 (2), U251 (3), C6 (4), A549 (5), MCF-7 (6), and COS7 (7) cell lysate.



Flow cytometric analysis of Hela cells using SYN1 mouse mAb (green) and negative control (red).



Immunofluorescence analysis of GC-7901 cells. Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Secondary antibody from Fisher



Immunofluorescence analysis of GC-7901 cells using SYN1 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Secondary antibody from Fisher

Mouse Monoclonal Antibody to SYN1 - References

1.Synapse. 2012 Nov;66(11):979-83. ; 2.J Neurosci Res. 2009 Aug 1;87(10):2255-63.;