

ALDOC Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11101a

Specification

ALDOC Antibody (N-term) - Product Information

Application WB,E
Primary Accession P09972

Other Accession <u>P05063</u>, <u>Q9GKW3</u>, <u>NP 005156.1</u>

Reactivity Human

Predicted Monkey, Mouse

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Antigen Region 72-101

ALDOC Antibody (N-term) - Additional Information

Gene ID 230

Other Names

Fructose-bisphosphate aldolase C, Brain-type aldolase, ALDOC, ALDC

Target/Specificity

This ALDOC antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 72-101 amino acids from the N-terminal region of human ALDOC.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ALDOC Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ALDOC Antibody (N-term) - Protein Information

Name ALDOC

Synonyms ALDC




ALDOC Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

ALDOC Antibody (N-term) - Images



Western blot analysis of lysate from human brain tissue lysate, using ALDOC Antibody (N-term)(Cat. #AP11101a). AP11101a was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug per lane.

ALDOC Antibody (N-term) - Background

This gene encodes a member of the class I fructose-biphosphate aldolase gene family. Expressed specifically in the hippocampus and Purkinje cells of the brain, the encoded protein is a glycolytic enzyme that catalyzes the reversible aldol cleavage of fructose-1,6-biphosphate and fructose 1-phosphate to dihydroxyacetone phosphate and either glyceraldehyde-3-phosphate or glyceraldehyde, respectively.

ALDOC Antibody (N-term) - References

Martins-de-Souza, D., et al. J Psychiatr Res 44(14):989-991(2010) Sultana, R., et al. Antioxid. Redox Signal. 12(3):327-336(2010) Martins-de-Souza, D., et al. J Psychiatr Res 43(11):978-986(2009) Martins-de-Souza, D., et al. J Neural Transm 116(3):275-289(2009) Martins-de-Souza, D., et al. BMC Psychiatry 9, 17 (2009) :