

SNRPB Antibody (N-term R49)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP2959a

Specification

SNRPB Antibody (N-term R49) - Product Information

Application FC, WB,E
Primary Accession P14678

Other Accession <u>P17136</u>, <u>P27048</u>, <u>Q58DW4</u>

Reactivity Human

Predicted Bovine, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 24610
Antigen Region 34-65

SNRPB Antibody (N-term R49) - Additional Information

Gene ID 6628

Other Names

Small nuclear ribonucleoprotein-associated proteins B and B', snRNP-B, Sm protein B/B', Sm-B/B', SmB/B', SNRPB, COD, SNRPB1

Target/Specificity

This SNRPB antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 34-65 amino acids from the N-terminal region of human SNRPB.

Dilution

FC~~1:10~50 WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SNRPB Antibody (N-term R49) is for research use only and not for use in diagnostic or therapeutic procedures.

SNRPB Antibody (N-term R49) - Protein Information



Name SNRPB

Synonyms COD, SNRPB1

Function Plays a role in pre-mRNA splicing as a core component of the spliceosomal U1, U2, U4 and U5 small nuclear ribonucleoproteins (snRNPs), the building blocks of the spliceosome (PubMed:11991638, PubMed:18984161, PubMed:19325628, PubMed:25555158, PubMed:26912367, PubMed:28076346, PubMed:28502770, PubMed:28781166, PubMed:32494006). Component of both the pre-catalytic spliceosome B complex and activated spliceosome C complexes (PubMed:11991638, PubMed:28076346, PubMed:28502770, PubMed:28781166). As a component of the minor spliceosome, involved in the splicing of U12-type introns in pre-mRNAs (PubMed:15146077). As part of the U7 snRNP it is involved in histone pre-mRNA 3'-end processing (PubMed:12975319).

Cellular Location


Cytoplasm, cytosol. Nucleus. Note=SMN- mediated assembly into core snRNPs occurs in the cytosol before SMN- mediated transport to the nucleus to be included in spliceosomes

SNRPB Antibody (N-term R49) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

SNRPB Antibody (N-term R49) - Images



Western blot analysis of SNRPB Antibody (N-term R49) (Cat. #AP2959a) in T47D cell line lysates (35ug/lane). SNRPB (arrow) was detected using the purified Pab.





SNRPB Antibody (N-term R49) (Cat. #AP2959a) flow cytometric analysis of MCF-7 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

SNRPB Antibody (N-term R49) - Background

SNRPB is one of several nuclear proteins that are found in common among U1, U2, U4/U6, and U5 small ribonucleoprotein particles (snRNPs). These snRNPs are involved in pre-mRNA splicing, and the encoded protein may also play a role in pre-mRNA splicing or snRNP structure. Autoantibodies from patients with systemic lupus erythematosus frequently recognize epitopes on the encoded protein.

SNRPB Antibody (N-term R49) - References

Elkon,K.B.,et.al., J. Immunol. 145 (2), 636-643 (1990) Chu,J.L. et.al., Gene 97 (2), 311-312 (1991)

SNRPB Antibody (N-term R49) - Citations

• <u>Identification of a CARM1 Inhibitor with Potent In Vitro and In Vivo Activity in Preclinical Models of Multiple Myeloma.</u>