

### **SAFB1 Antibody**

Purified Mouse Monoclonal Antibody (Mab)
Catalog # AP52732

### **Specification**

### **SAFB1 Antibody - Product Information**

Application WB, ICC
Primary Accession Q15424
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype IgG1
Calculated MW 130 KDa

### **SAFB1** Antibody - Additional Information

# **Gene ID 6294**

#### **Other Names**

DKFZp779C1727; glutathione S transferase fusion protein; HAP; HET; HSP27 ERE TATA binding protein; HSP27 ERE-TATA-binding protein; HSP27 estrogen response element-TATA box-binding protein; SAF B; SAF-B1; SAFB1; SAFB1; SAFB1, HUMAN; scaffold attachment factor B1.

#### **Dilution**

WB~~1:1000 ICC~~1:200

#### **Format**

Purified mouse monoclonal antibody in buffer containing 0.1M Tris-Glycine (pH 7.4, 150 mM NaCl) with 0.09% (W/V) sodium azide, 50%,glycerol

## **Storage**

Store at -20 °C. Stable for 12 months from date of receipt

# **SAFB1 Antibody - Protein Information**

#### Name SAFB

Synonyms HAP, HET, SAFB1

#### **Function**

Binds to scaffold/matrix attachment region (S/MAR) DNA and forms a molecular assembly point to allow the formation of a 'transcriptosomal' complex (consisting of SR proteins and RNA polymerase II) coupling transcription and RNA processing (PubMed:<a

 $href="http://www.uniprot.org/citations/9671816" target="\_blank">9671816</a>). Functions as an estrogen receptor corepressor and can also bind to the HSP27 promoter and decrease its transcription (PubMed:<a href="http://www.uniprot.org/citations/12660241"$ 

target=" blank">12660241</a>). Thereby acts as a negative regulator of cell proliferation





(PubMed:<a href="http://www.uniprot.org/citations/12660241" target="\_blank">12660241</a>). When associated with RBMX, binds to and stimulates transcription from the SREBF1 promoter (By similarity).

## **Cellular Location** Nucleus

#### **Tissue Location**


Ubiquitous. Expressed at high levels in the CNS and at low levels in the liver. Expressed in a wide number of breast cancer cell lines

# **SAFB1 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## **SAFB1 Antibody - Images**



Western blot detection of SAFB1 in HelaNE,A431,MDA-MB-468,Breast cancer,ZR75-1 and MCF7 cell lysates using SAFB1 mouse mAb (1:4000 diluted).Predicted band size: 130kDa.Observed band size: 130kDa.





Immunocytochemistry staining of HeLa cells fixed with 4% Paraformaldehyde and using SAFB1 mouse mAb (dilution 1:200).

# SAFB1 Antibody - Background

Binds to scaffold/matrix attachment region (S/MAR) DNA and forms a molecular assembly point to allow the formation of a 'transcriptosomal' complex (consisting of SR proteins and RNA polymerase II) coupling transcription and RNA processing (By similarity). Can function as an estrogen receptor corepressor and can also bind to the HSP27 promoter and decrease its transcription. When associated with RBMX, binds to and stimulates transcription from the SREBF1 promoter (By similarity). Can inhibit cell proliferation.

# **SAFB1 Antibody - References**

Oesterreich S.,et al.J. Cell. Biochem. 67:275-286(1997).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Grimwood J.,et al.Nature 428:529-535(2004).
Totoki Y.,et al.Submitted (MAR-2005) to the EMBL/GenBank/DDBJ databases.
Bienvenut W.V.,et al.Submitted (JUL-2009) to UniProtKB.