

Anti- β -Actin Antibody
Mouse Anti Human Monoclonal Antibody
Catalog # AP53385**Specification**

Anti- β -Actin Antibody - Product Information

Application	WB
Primary Accession	P60709
Other Accession	NM_001101
Reactivity	Human, Mouse, Rat
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2b
Immunogen	Purified recombinant human beta actin protein fragments expressed in E.coli.
Purification	Affinity purified
Calculated MW	45 KDa

Anti- β -Actin Antibody - Additional Information**Gene ID** 60**Other Names**

A X actin like protein;ACTB;ACTB_HUMAN;Actin;Actin cytoplasmic 1;Actx;b actin;b-actin;Beta cytoskeletal actin;Beta-actin;cytoplasmic 1;Melanoma X actin;N-terminally processed;PS1TP5 binding protein 1;PS1TP5BP1.

Dilution

WB~~1:1000

Format

Purified mouse monoclonal antibody in PB(pH 7.4) containing with 0.09% (W/V) sodium azide,0.1mg/mlBSA and 50% glycerol.

Storage

Store at -20 °C.Stable for 12 months from date of receipt

Anti- β -Actin Antibody - Protein Information**Name** ACTB**Function**

Actin is a highly conserved protein that polymerizes to produce filaments that form cross-linked networks in the cytoplasm of cells (PubMed:29581253). Actin exists in both monomeric (G-actin) and polymeric (F-actin) forms, both forms playing key functions, such as cell motility and contraction (PubMed:29581253). In addition to their role in the cytoplasmic cytoskeleton, G- and F-actin also localize in the nucleus, and regulate

gene transcription and motility and repair of damaged DNA (PubMed:29925947). Part of the ACTR1A/ACTB filament around which the dynactin complex is built. The dynactin multiprotein complex activates the molecular motor dynein for ultra-processive transport along microtubules (By similarity).

Cellular Location


Cytoplasm, cytoskeleton. Nucleus Note=Localized in cytoplasmic mRNP granules containing untranslated mRNAs.

Anti- β -Actin Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti- β -Actin Antibody - Images



Western blot detection of beta actin in Jurkat, K562, C6, 3T3 and Hela cell lysates using beta actin mouse mAb (1:1000 diluted). Predicted band size: 45 kDa. Observed band size: 45 kDa.

Anti- β -Actin Antibody - Background

Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells.

Anti- β -Actin Antibody - Citations

- [The Suppression of miR-199a-3p by Promoter Methylation Contributes to Papillary Thyroid Carcinoma Aggressiveness by Targeting RAP2a and DNMT3a](#)
- [Regulation of 25-hydroxyvitamin D-1-hydroxylase and 24-hydroxylase in keratinocytes by PTH and FGF23](#)

- [Nigericin exerts anticancer effects on human colorectal cancer cells by inhibiting Wnt/ \$\beta\$ -catenin signaling pathway.](#)
- [Tumor suppressive role of miR-1224-5p in keloid proliferation, apoptosis and invasion via the TGF- \$\beta\$ 1/Smad3 signaling pathway.](#)
- [Anterior gradient 2 is induced in cutaneous wound and promotes wound healing through its adhesion domain.](#)