

Parp6 Antibody (C-term 503)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP6286b

Specification

Parp6 Antibody (C-term 503) - Product Information

Application WB,E **Primary Accession 02NL67** Other Accession O6P6P7 Reactivity Human Predicted Mouse Host Rabbit Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 71115 Antigen Region 508-538

Parp6 Antibody (C-term 503) - Additional Information

Gene ID 56965

Other Names

Poly [ADP-ribose] polymerase 6, PARP-6, ADP-ribosyltransferase diphtheria toxin-like 17, ARTD17, PARP6

Target/Specificity

This Parp6 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-538 amino acids from the C-terminal region of human Parp6.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Parp6 Antibody (C-term 503) is for research use only and not for use in diagnostic or therapeutic procedures.

Parp6 Antibody (C-term 503) - Protein Information

Name PARP6 (HGNC:26921)




Function Mono-ADP-ribosyltransferase that mediates mono-ADP- ribosylation of target proteins.

Parp6 Antibody (C-term 503) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Parp6 Antibody (C-term 503) - Images



Western blot analysis of Parp6 (arrow) using rabbit polyclonal Parp6 Antibody (C-term) (Cat. #AP6286b). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the Parp6 gene.



Parp6 Antibody (C-term) (Cat. #AP6286b) western blot analysis in mouse Neuro-2a cell line lysates (35ug/lane). This demonstrates the Parp6 antibody detected the Parp6 protein (arrow).

Parp6 Antibody (C-term 503) - Background





Poly(ADP-ribosyl)ation is an immediate DNA-damage-dependent post-translational modification of histones and other nuclear proteins that contributes to the survival of injured proliferating cells. Poly(ADP-ribose) polymerases (PARPs) now constitute a large family of 18 proteins, encoded by different genes and displaying a conserved catalytic domain in which PARP-1 (113 kDa), the founding member, and PARP-2 (62 kDa) are so far the sole enzymes whose catalytic activity has been shown to be immediately stimulated by DNA strand breaks. A large repertoire of sequences encoding novel PARPs now extends considerably the field of poly(ADP-ribosyl)ation reactions to various aspects of the cell biology including cell proliferation and cell death. Some of these new members interact with each other, share common partners and common subcellular localizations

suggesting possible fine tuning in the regulation of this post-translational modification of proteins.

Parp6 Antibody (C-term 503) - References

Ame, J.C., Bioessays 26 (8), 882-893 (2004)