

EPN3 Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP6527a

Specification

EPN3 Antibody (N-term) - Product Information

Application WB, FC, IHC-P,E

Primary Accession <u>Q9H201</u>

Other Accession Q4V882, Q91W69

Reactivity
Predicted
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region
Human
Mouse, Rat
Rabbit
Rabbit
Rabbit
Polyclonal
Rabbit IgG
Rabbit IgG

EPN3 Antibody (N-term) - Additional Information

Gene ID 55040

Other Names

Epsin-3, EPS-15-interacting protein 3, EPN3

Target/Specificity

This EPN3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 126-153 amino acids from the N-terminal region of human EPN3.

Dilution

WB~~1:1000 FC~~1:10~50 IHC-P~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

EPN3 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

EPN3 Antibody (N-term) - Protein Information





Tel. 000.075.1900 Fax. 000.075.13

Name EPN3

Cellular Location

Cytoplasm. Cytoplasm, perinuclear region Cytoplasmic vesicle, clathrin-coated vesicle. Nucleus Note=Concentrated in the perinuclear region and associated with clathrin-coated vesicles close to the cell periphery. May shuttle to the nucleus

Tissue Location


Detected in migrating keratinocytes from wounded skin, but not in differentiating keratinocytes or in normal skin Detected in chronic wounds, basal cell carcinoma and ulcerative colitis.

EPN3 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

EPN3 Antibody (N-term) - Images




EPN3 Antibody (N-term) (Cat.# AP6527a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the EPN3 antibody detected the EPN3 protein (arrow).





Formalin-fixed and paraffin-embedded human colon carcinoma with EPN3 Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of MDA-231 cells using EPN3 Antibody (N-term)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

EPN3 Antibody (N-term) - Background

EPN3 belongs to the epsin family.

EPN3 Antibody (N-term) - References

Spradling, K.D., J. Biol. Chem. 276 (31), 29257-29267 (2001) Spradling, K.D., J. Invest. Dermatol. 115 (2), 332 (2000)