

GLK Polyclonal Antibody

Catalog # AP70098

Specification

GLK Polyclonal Antibody - Product Information

Application WB
Primary Accession O8IVH8

Reactivity Human, Mouse, Rat Host Rabbit

Clonality Rabbit Polyclonal

GLK Polyclonal Antibody - Additional Information

Gene ID 8491

Other Names

MAP4K3; RAB8IPL1; Mitogen-activated protein kinase kinase kinase kinase 3; Germinal center kinase-related protein kinase; GLK; MAPK/ERK kinase kinase kinase 3; MEK kinase kinase 3; MEK kinase kinase 3; MEKKK 3

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

GLK Polyclonal Antibody - Protein Information

Name MAP4K3 (HGNC:6865)

Synonyms RAB8IPL1

Function

Serine/threonine kinase that plays a role in the response to environmental stress. Appears to act upstream of the JUN N-terminal pathway (PubMed:9275185). Activator of the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. MAP4Ks act in parallel to and are partially redundant with STK3/MST2 and STK4/MST2 in the phosphorylation and activation of LATS1/2, and establish MAP4Ks as components of the expanded Hippo pathway (PubMed:26437443).

Tissue Location

Ubiquitously expressed in all tissues examined, with high levels in heart, brain, placenta, skeletal muscle, kidney and pancreas and lower levels in lung and liver




GLK Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

GLK Polyclonal Antibody - Images



GLK Polyclonal Antibody - Background

May play a role in the response to environmental stress. Appears to act upstream of the JUN N-terminal pathway.