

**IL-17B Polyclonal Antibody**  
Catalog # AP74159**Specification**

---

**IL-17B Polyclonal Antibody - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | IHC-P                  |
| Primary Accession | <a href="#">Q9UHF5</a> |
| Reactivity        | Human, Rat             |
| Host              | Rabbit                 |
| Clonality         | Polyclonal             |

**IL-17B Polyclonal Antibody - Additional Information****Gene ID** 27190**Other Names**

Interleukin-17B (IL-17B) (Cytokine Zcyto7) (Interleukin-20) (IL-20) (Neuronal interleukin-17-related factor)

**Dilution**

IHC-P~~N/A

**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions**

-20°C

**IL-17B Polyclonal Antibody - Protein Information****Name** IL17B**Synonyms** IL20, NIRF, ZCYTO7**Function**

Stimulates the release of tumor necrosis factor alpha and IL- 1-beta from the monocytic cell line THP-1.

**Cellular Location**

Secreted.

**Tissue Location**


Expressed in adult pancreas, small intestine, stomach, spinal cord and testis. Less pronounced expression in prostate, colon mucosal lining, and ovary

**IL-17B Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **IL-17B Polyclonal Antibody - Images**



Immunohistochemical analysis of paraffin-embedded human-small-intestine, antibody was diluted at 1:200

#### **IL-17B Polyclonal Antibody - Background**

Stimulates the release of tumor necrosis factor alpha and IL-1-beta from the monocytic cell line THP-1.