

## STAT5a Antibody

Rabbit mAb Catalog # AP90122

## **Specification**

## **STAT5a Antibody - Product Information**

Application WB, IHC, FC, ICC, IP

Primary Accession P42229
Reactivity Rat

Clonality Monoclonal

**Other Names** 

MGF; MPF; Mammary gland factor; STA5A; STAT5; STAT5A

Isotype Rabbit IgG
Host Rabbit
Calculated MW 90647 Da

# **STAT5a Antibody - Additional Information**

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

STAT5a

Description The protein encoded by this gene is a

member of the STAT family of transcription factors. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated

kinases, and then form homo- or

heterodimers that translocate to the cell nucleus where they act as transcription

activators.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

## **STAT5a Antibody - Protein Information**

Name STAT5A

**Synonyms** STAT5

#### **Function**

Carries out a dual function: signal transduction and activation of transcription. Mediates cellular responses to the cytokine KITLG/SCF and other growth factors. Mediates cellular responses to ERBB4. May mediate cellular responses to activated FGFR1, FGFR2, FGFR3 and FGFR4. Binds to the GAS element and activates PRL- induced transcription. Regulates the expression of milk proteins during lactation.



Tel: 858.875.1900 Fax: 858.875.1999

## **Cellular Location**


Cytoplasm. Nucleus. Note=Translocated into the nucleus in response to phosphorylation

# **STAT5a Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# **STAT5a Antibody - Images**



Western blot analysis of STAT5a in A431 cell lysate.