

Cyclin B1 Antibody

Rabbit mAb Catalog # AP90534

Specification

Cyclin B1 Antibody - Product Information

Application WB, IHC, FC, ICC

Primary Accession P14635
Clonality Monoclonal

Other Names

CCN-2; CCNB; CCNB1; CCNB1-RS1; CYCB; CYCB1; G2/mitotic-specific cyclin B1;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 48337 Da

Cyclin B1 Antibody - Additional Information

Dilution WB~~1:1000

IHC~~1:100~500 FC~~1:10~50 ICC~~N/A

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

Cyclin B1

Description Cyclins are a family of proteins that

activate specific cyclin-dependent kinases required for progression through the cell cycle. The entry of all eukaryotic cells into mitosis is regulated by activation of cdc2/cdk1 at the G2/M transition. This activation is a multi-step process that begins with the binding of the regulatory subunit, cyclin B1, to cdc2/cdk1 to form the

mitosis-promoting factor (MPF).

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

Cyclin B1 Antibody - Protein Information

Name CCNB1

Synonyms CCNB

Function

Essential for the control of the cell cycle at the G2/M (mitosis) transition.



Tel: 858.875.1900 Fax: 858.875.1999

Cellular Location


Cytoplasm. Nucleus. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome

Cyclin B1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Cyclin B1 Antibody - Images



Western blot analysis of Cyclin B1 expression in HeLa cell lysate.