



Glypican 3

Mouse Monoclonal Antibody (Mab)
Catalog # APA291

Specification

Glypican 3 - Product Information

Application IHC
Primary Accession P51654
Host Mouse
Clonality Monoclonal
Calculated MW 65563 Da

Glypican 3 - Additional Information

Gene ID 2719
Gene Name GPC3

Other Names

Glypican-3, GTR2-2, Intestinal protein OCI-5, MXR7, Glypican-3 alpha subunit, Glypican-3 beta subunit, GPC3, OCI5

Storage Maintain refrigerated at 2-8°C for up to 2

weeks. For long term storage store at -20°C in small aliquots to prevent

freeze-thaw cycles.

Precautions Glypican 3 is for research use only and not

for use in diagnostic or therapeutic

procedures.

Glypican 3 - Protein Information

Name GPC3

Synonyms OCI5

Function

Cell surface proteoglycan that bears heparan sulfate (PubMed: 14610063).

Nogotively regulates the hedgehor.

Negatively regulates the hedgehog signaling pathway when attached via the

GPI-anchor to the cell surface by

competing with the hedgehog receptor PTC1 for binding to hedgehog proteins (By similarity). Binding to the hedgehog

protein SHH triggers internalization of the

complex by endocytosis and its subsequent lysosomal degradation (By similarity). Positively regulates the canonical Wnt signaling pathway by binding to the Wnt

receptor Frizzled and stimulating the binding of the Frizzled receptor to Wnt

ligands (PubMed: 16227623,





PubMed: 24496449). Positively regulates the non- canonical Wnt signaling pathway (By similarity). Binds to CD81 which decreases the availability of free CD81 for binding to the transcriptional repressor HHEX, resulting in nuclear translocation of HHEX and transcriptional repression (By similarity). Inhibits the dipeptidyl peptidase activity of DPP4 (PubMed: 17549790). Plays a role in limb patterning and skeletal development by controlling the cellular response to BMP4 (By similarity). Modulates the effects of growth factors BMP2, BMP7 and FGF7 on renal branching morphogenesis (By similarity). Required for coronary vascular development (By similarity). Plays a role in regulating cell movements during gastrulation (By similarity). Cell membrane; Lipid-anchor, GPI-anchor {ECO:0000250|UniProtKB:P13265}; Extracellular side {ECO:0000250|UniProtKB:P13265} Highly expressed in lung, liver and kidney.

Cellular Location

Tissue Location

Glypican 3 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Glypican 3 - Images