

#### Anti-SOST / Sclerostin Reference Antibody (blosozumab) Recombinant Antibody Catalog # APR10302

### **Specification**

# Anti-SOST / Sclerostin Reference Antibody (blosozumab) - Product Information

Application Primary Accession Reactivity Clonality Isotype Calculated MW FC, Kinetics, Animal Model <u>O9BOB4</u> Rat, Human Monoclonal IgG4SP 145 KDa

### Anti-SOST / Sclerostin Reference Antibody (blosozumab) - Additional Information

Target/Specificity SOST / Sclerostin

**Endotoxin** < 0.001EU/ μg,determined by LAL method.

Conjugation Unconjugated

Expression system CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

#### Anti-SOST / Sclerostin Reference Antibody (blosozumab) - Protein Information

Name SOST (<u>HGNC:13771</u>)

**Function** Negative regulator of bone growth that acts through inhibition of Wnt signaling and bone formation.

**Cellular Location** Secreted, extracellular space, extracellular matrix

Tissue Location

Widely expressed at low levels with highest levels in bone, cartilage, kidney, liver, bone marrow and primary osteoblasts differentiated for 21 days. Detected in the subendothelial layer of the aortic intima (at protein level).




# Anti-SOST / Sclerostin Reference Antibody (blosozumab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-SOST / Sclerostin Reference Antibody (blosozumab) - Images



Anti-SOST / Sclerostin Reference Antibody (blosozumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-SOST / Sclerostin Reference Antibody (blosozumab)is more than 98.7% ,determined by SEC-HPLC.