

Human IgG F(ab')2 Peroxidase

Catalog # ASR1483

Specification

Conjugate

Human IgG F(ab')2 Peroxidase - Product Information

Description HUMAN IgG F(ab')2 fragment

Peroxidase conjugated Peroxidase (Horseradish)

Physical State
Host Isotype
Buffer
Lyophilized
IgG F(ab')2
0.01 M Sod

0.01 M Sodium Phosphate, 0.15 M Sodium

Chloride, pH 7.2

Species of Origin
Reconstitution Volume
Reconstitution Buffer
Restore

Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative No.

Human IgG F(ab')2 Peroxidase - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by pepsin digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Human IgG, anti-Human IgG F(ab')2 and anti-Human Serum. No reaction was observed against anti-Human IgG F(c) or anti-Pepsin.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Human IgG F(ab')2 Peroxidase - Protein Information

Human IgG F(ab')2 Peroxidase - Protocols

Provided below are standard protocols that you may find useful for product applications.



Tel: 858.875.1900 Fax: 858.875.1999



- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Human IgG F(ab')2 Peroxidase - Images