

CKB Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant CKB. Catalog # AT1543a

Specification

CKB Antibody (monoclonal) (M01) - Product Information

Application WB, IF **Primary Accession** P12277 Other Accession BC001190 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG1 Kappa Calculated MW 42644

CKB Antibody (monoclonal) (M01) - Additional Information

Gene ID 1152

Other Names

Creatine kinase B-type, B-CK, Creatine kinase B chain, CKB, CKBB

Target/Specificity

CKB (AAH01190, 1 a.a. \sim 381 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000 IF~~1:50~200

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

CKB Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

CKB Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot



• Immunohistochemistry

- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CKB Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to CKB on HeLa cell. [antibody concentration 30 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (67.65 KDa).

CKB Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is a cytoplasmic enzyme involved in energy homeostasis. The encoded protein reversibly catalyzes the transfer of phosphate between ATP and various phosphogens such as creatine phosphate. It acts as a homodimer in brain as well as in other tissues, and as a heterodimer with a similar muscle isozyme in heart. The encoded protein is a member of the ATP:guanido phosphotransferase protein family. A pseudogene of this gene has been characterized.

CKB Antibody (monoclonal) (M01) - References

Reduced creatine kinase B activity in multiple sclerosis normal appearing white matter. Steen C, et al. PLoS One, 2010 May 25. PMID 20520825.Reduced creatine kinase as a central and peripheral biomarker in Huntington's disease. Kim J, et al. Biochim Biophys Acta, 2010 Jul-Aug. PMID 20460152.Defining the human deubiquitinating enzyme interaction landscape. Sowa ME, et al. Cell,





Tel: 858.875.1900 Fax: 858.875.1999

2009 Jul 23. PMID 19615732. Proteome analysis of schizophrenia patients Wernicke's area reveals an energy metabolism dysregulation. Martins-de-Souza D, et al. BMC Psychiatry, 2009 Apr 30. PMID 19405953. Prefrontal cortex shotgun proteome analysis reveals altered calcium homeostasis and immune system imbalance in schizophrenia. Martins-de-Souza D, et al. Eur Arch Psychiatry Clin Neurosci, 2009 Apr. PMID 19165527.