

NDRG1 Antibody (monoclonal) (M03)

Mouse monoclonal antibody raised against a full length recombinant NDRG1. Catalog # AT2991a

Specification

NDRG1 Antibody (monoclonal) (M03) - Product Information

Application WB, IHC, IF, E **Primary Accession** 092597 Other Accession BC003175 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG2a Kappa 42835

Calculated MW

NDRG1 Antibody (monoclonal) (M03) - Additional Information

Gene ID 10397

Other Names

Protein NDRG1, Differentiation-related gene 1 protein, DRG-1, N-myc downstream-regulated gene 1 protein, Nickel-specific induction protein Cap43, Reducing agents and tunicamycin-responsive protein, RTP, Rit42, NDRG1, CAP43, DRG1, RTP

Target/Specificity

NDRG1 (AAH03175, 1 a.a. ~ 394 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000 IHC~~1:100~500 IF~~1:50~200 E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

NDRG1 Antibody (monoclonal) (M03) is for research use only and not for use in diagnostic or therapeutic procedures.


NDRG1 Antibody (monoclonal) (M03) - Protocols

Provided below are standard protocols that you may find useful for product applications.




- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


NDRG1 Antibody (monoclonal) (M03) - Images



Immunofluorescence of monoclonal antibody to NDRG1 on HeLa cell . [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (69.08 KDa) .





Immunoperoxidase of monoclonal antibody to NDRG1 on formalin-fixed paraffin-embedded human endometrium. [antibody concentration 0.7 ug/ml]



Detection limit for recombinant GST tagged NDRG1 is approximately 1ng/ml as a capture antibody.

NDRG1 Antibody (monoclonal) (M03) - Background

This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolase superfamily. The protein encoded by this gene is a cytoplasmic protein involved in stress responses, hormone responses, cell growth, and differentiation. It is necessary for p53-mediated caspase activation and apoptosis. Mutation in this gene has been reported to be causative for hereditary motor and sensory neuropathy-Lom. Multiple alternatively spliced variants, encoding the same protein, have been identified.

NDRG1 Antibody (monoclonal) (M03) - References

1.A novel molecular marker for early detection and evaluating prognosis of gastric cancer: N-myc downstream regulated gene-1 (NDRG1). Jiang K, Shen Z, Ye Y, Yang X, Wang S. Scand J Gastroenterol. 2010 Apr 14. [Epub ahead of print] 2. Metastasis-related plasma membrane proteins of human breast cancer cells identified by comparative quantitative mass spectrometry. Leth-Larsen R, Lund R, Hansen HV, Laenkholm AV, Tarin D, Jensen ON, Ditzel HJ. Mol Cell Proteomics. 2009 Jun; 8(6):1436-49. Epub 2009 Mar 24.