

**PTF1A Antibody (monoclonal) (M09)****Mouse monoclonal antibody raised against a partial recombinant PTF1A.****Catalog # AT3482a****Specification**

---

**PTF1A Antibody (monoclonal) (M09) - Product Information**

Application	WB, E
Primary Accession	<a href="#">Q7RTS3</a>
Other Accession	<a href="#">NM_178161</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Lambda
Calculated MW	34970

**PTF1A Antibody (monoclonal) (M09) - Additional Information****Gene ID** 256297**Other Names**

Pancreas transcription factor 1 subunit alpha, Class A basic helix-loop-helix protein 29, bHLHa29, Pancreas-specific transcription factor 1a, bHLH transcription factor p48, p48 DNA-binding subunit of transcription factor PTF1, PTF1-p48, PTF1A, BHLHA29, PTF1P48

**Target/Specificity**

PTF1A (NP\_835455, 250 a.a. ~ 328 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

**Dilution**

WB~~1:500~1000

E~~N/A

**Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

**Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions**

PTF1A Antibody (monoclonal) (M09) is for research use only and not for use in diagnostic or therapeutic procedures.


**PTF1A Antibody (monoclonal) (M09) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### PTF1A Antibody (monoclonal) (M09) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (34.8 KDa) .



Detection limit for recombinant GST tagged PTF1A is approximately 0.3ng/ml as a capture antibody.

#### PTF1A Antibody (monoclonal) (M09) - Background

This gene encodes a protein that is a component of the pancreas transcription factor 1 complex (PTF1) and is known to have a role in mammalian pancreatic development. The protein plays a role in determining whether cells allocated to the pancreatic buds continue towards pancreatic organogenesis or revert back to duodenal fates. The protein is thought to be involved in the maintenance of exocrine pancreas-specific gene expression including elastase 1 and amylase. Mutations in this gene cause cerebellar agenesis and loss of expression is seen in ductal type pancreas cancers.

#### PTF1A Antibody (monoclonal) (M09) - References

Multiple transcriptional mechanisms control Ptf1a levels during neural development including autoregulation by the PTF1-J complex. Meredith DM, et al. J Neurosci, 2009 Sep 9. PMID 19741120. A Turkish newborn infant with cerebellar agenesis/neonatal diabetes mellitus and PTF1A mutation. Tutak E, et al. Genet Couns, 2009. PMID 19650412. p/CAF modulates the activity of the transcription

factor p48/Ptf1a involved in pancreatic acinar differentiation. Rodolosse A, et al. Biochem J, 2009 Mar 1. PMID 18834332. Origin of climbing fiber neurons and their developmental dependence on Ptf1a. Yamada M, et al. J Neurosci, 2007 Oct 10. PMID 17928434. PTF1 is an organ-specific and Notch-independent basic helix-loop-helix complex containing the mammalian Suppressor of Hairless (RBP-J) or its paralogue, RBP-L. Beres TM, et al. Mol Cell Biol, 2006 Jan. PMID 16354684.