

GABRG1 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5006

Specification

GABRG1 Antibody (C-term) - Product Information

Application WB,E
Primary Accession O8N1C3

Reactivity Human, Mouse Host Rabbit

Clonality polyclonal Calculated MW H=54;M=53 KDa

Isotype Rabbit IgG
Antigen Source HUMAN

GABRG1 Antibody (C-term) - Additional Information

Gene ID 2565

Antigen Region

370-404

Other Names

Gamma-aminobutyric acid receptor subunit gamma-1, GABA(A) receptor subunit gamma-1, GABRG1

Dilution

WB~~1:1000

Target/Specificity

This GABRG1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 370-404 amino acids from the C-terminal region of human GABRG1.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GABRG1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

GABRG1 Antibody (C-term) - Protein Information

Name GABRG1



Function

GABA, the major inhibitory neurotransmitter in the vertebrate brain, mediates neuronal inhibition by binding to the GABA/benzodiazepine receptor and opening an integral chloride channel.

Cellular Location


Postsynaptic cell membrane; Multi-pass membrane protein. Cell membrane; Multi-pass membrane protein

GABRG1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

GABRG1 Antibody (C-term) - Images



Western blot analysis of lysates from mouse brain, mouse cerebellum and human brain tissue lysate (from left to right), using GABRG1 Antibody (C-term)(Cat. #AW5006). AW5006 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody.

GABRG1 Antibody (C-term) - Background

GABA, the major inhibitory neurotransmitter in the vertebrate brain, mediates neuronal inhibition by binding to the GABA/benzodiazepine receptor and opening an integral chloride channel.

GABRG1 Antibody (C-term) - References

Ota T., et al. Nat. Genet. 36:40-45(2004). Bechtel S., et al. BMC Genomics 8:399-399(2007).





Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.