

ITPA Antibody (C-term) Blocking Peptide
Synthetic peptide
Catalog # BP18963b**Specification**

ITPA Antibody (C-term) Blocking Peptide - Product InformationPrimary Accession [Q9BY32](#)**ITPA Antibody (C-term) Blocking Peptide - Additional Information****Gene ID** 3704**Other Names**

Inosine triphosphate pyrophosphatase {ECO:0000255|HAMAP-Rule:MF_03148}, ITPase {ECO:0000255|HAMAP-Rule:MF_03148}, Inosine triphosphatase {ECO:0000255|HAMAP-Rule:MF_03148}, 36119 {ECO:0000255|HAMAP-Rule:MF_03148}, Non-canonical purine NTP pyrophosphatase {ECO:0000255|HAMAP-Rule:MF_03148}, Non-standard purine NTP pyrophosphatase {ECO:0000255|HAMAP-Rule:MF_03148}, Nucleoside-triphosphate diphosphatase {ECO:0000255|HAMAP-Rule:MF_03148}, Nucleoside-triphosphate pyrophosphatase {ECO:0000255|HAMAP-Rule:MF_03148}, NTPase {ECO:0000255|HAMAP-Rule:MF_03148}, Putative oncogene protein hlc14-06-p, ITPA {ECO:0000255|HAMAP-Rule:MF_03148}, C20orf37

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

ITPA Antibody (C-term) Blocking Peptide - Protein Information**Name** ITPA {ECO:0000255|HAMAP-Rule:MF_03148}**Synonyms** C20orf37**Function**

Pyrophosphatase that hydrolyzes the non-canonical purine nucleotides inosine triphosphate (ITP), deoxyinosine triphosphate (dITP) as well as 2'-deoxy-N-6-hydroxylaminopurine triphosphate (dHAPTP) and xanthosine 5'-triphosphate (XTP) to their respective monophosphate derivatives. The enzyme does not distinguish between the deoxy- and ribose forms. Probably excludes non-canonical purines from RNA and DNA precursor pools, thus preventing their incorporation into RNA and DNA and avoiding chromosomal lesions.

Cellular Location

Cytoplasm {ECO:0000255|HAMAP-Rule:MF_03148, ECO:0000269|PubMed:11278832}

Tissue Location

Ubiquitous. Highly expressed in heart, liver, sex glands, thyroid and adrenal gland

ITPA Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

ITPA Antibody (C-term) Blocking Peptide - Images**ITPA Antibody (C-term) Blocking Peptide - Background**

The protein encoded by this gene hydrolyzes inosinetriphosphate and deoxyinosine triphosphate to the monophosphatenucleotide and diphosphate. The encoded protein, which is a member of the HAM1 NTPase protein family, is found in the cytoplasm and acts as a homodimer. Defects in the encoded protein can result in inosine triphosphate pyrophosphorylase deficiency. Two transcript variants encoding two different isoforms have been found for this gene. Also, at least two other transcript variants have been identified which are probably regulatory rather than protein-coding.

ITPA Antibody (C-term) Blocking Peptide - References

Kim, J.H., et al. J. Clin. Gastroenterol. 44 (10), E242-E248 (2010) :Ochi, H., et al. Gastroenterology 139(4):1190-1197(2010)Thompson, A.J., et al. Gastroenterology 139(4):1181-1189(2010)Ban, H., et al. J. Gastroenterol. 45(10):1014-1021(2010)Fellay, J., et al. Nature 464(7287):405-408(2010)